



ROZZI GROUP



FOLLOW US:

@tamitalia-tamitaliaofficial



info@tamitalia.com



+39 030 9930433



Via E. Mattei, 16 Pontevico (BS)

tamitalia.com


-AREAS OF APPLICATIONS-



SCRAP RYCICLING



WASTE MANAGEMENT



CONSTRUCTION



CONTAINER LOGISTIC



-PRODUCT RANGE -

MODEL	HOOK HEIGHT	GVW	WEIGHT	HOOKLIFT LENGHT		CONTAINER INTERNAL LENGHT	
STANDARD	MM	TON	TON	MIN	MAX	MIN	MAX
T1	900	2.5	225	2000		2000	2200
T3S	900	3.5	505-533	2500	3000	2000	3600
T4	900	3.5	500-515	2600	3200	2400	3650
T5	900	5.8	580-615	3000	3400	2750	3850
T5LG	1480	5.8	750-960	3200	4200	2850	4650
T5HG	900	5.8	970	3600	3800	3150	4250
T8LG	1480	8-10	800-920	3200	4200	2850	4650
T8HG	900	8-10	1020	3600	3800	3150	4250
HEAVY	MM	TON	TON	MIN	MAX	MIN	MAX
T12	1430/1480/1570	10-14	1340-1510	3500	4700	3200	5300
T16	1430/1480/1570	14-19	2000-2310	4200	5600	3600	6200
T20	1430/1480/1570	19-26	2450-2900	4400	6600	3900	7200
T22E	1430/1480/1570	19-26	2450-2900	4400	6600	3900	7200
T26	1430/1480/1570	26-32	2630-2970	5000	7200	4400	7200
T40	1430/1480/1570	40	3100-3450	5000	6600	4400	7200
HEAVY ARTICULATED	MM	TON	TON	MIN	MAX	MIN	MAX
T16-SN	1430/1480/1570	14-19	2380-2600	4400	5400	3300	6000
T20-SN	1430/1480/1570	19-26	2560-3000	4400	6400	3300	6800
T22E-SN	1430/1480/1570	19-26	2660-3200	4400	6400	3300	6800
T26-SN	1430/1480/1570	26-32	3200-3350	5000	7000	3800	7200
T40-SN	1430/1480/1570	26-32	3710-3860	5400	6600	3700	7200

-HOOKLIFT- 1 - 32 TON

OUR RANGE OF HOOKLIFT EQUIPMENT
GUARANTEES RELIABILITY AND SAFETY.

✓ LOAD HOOK

PART MADE OF PANTOGRAPHED SHEET METAL IN ST 355
MATERIAL TO ENSURE HIGH STRENGTH OR
IN HIGH-QUALITY CAST MATERIAL

HOOK HEIGHT MECHANICALLY OR
HYDRAULICALLY ADJUSTABLE

REMOVABLE HOOK TO
REDUCE MAINTENANCE TIME

✓ HYDRAULIC REAR LOCKING

THE REAR LOCK SECURES THE CONTAINER, ENSURING ITS
SAFETY WHILE IS BEING TRANSPORTED.

✓ SLIDE ROLLER

ALLOWS THE CONTAINER TO SLIDE ALONG THE AXIS
OF THE EQUIPMENT.

✓ SAFETY LATCH

MECHANIC SAFETY LATCH THAT MOVES
AUTOMATICALLY BY GRAVITY AND SECURES THE
CONTAINER FROM FALLING OFF DURING LOADING
& UNLOADING.
PNEUMATIC SAFETY LATCH IS OPENED ON DEMAND
BY THE DRIVER

✓ ARTICULATED HOOK ARM

COMPARED TO THE STANDARD RANGE, THE JOINT IS
ADDED TO THE VERTICAL PART
HINGED TO THE HORIZONTAL ONE, CREATING A
DOUBLE JOINT THAT ALLOWS THE
REDUCTION OF THE WRAPPING ANGLE.
THIS ALLOWS THE WRAPPING OF CONTAINERS WITH
SHORTER LENGTHS DEPENDING ON THE LENGTH OF
THE EQUIPMENT.

✓ ADR LOCKING HOOK

PROVIDES ADDITIONAL SAFETY WHEN
TRANSPORTING SPECIAL LOADS (ADR)

✓ ELECTRIC CONTROLS




✓ HYDRAULIC DISTRIBUTOR

THE ENTIRE RANGE OF TAM HOOKLIFTS IS EQUIPPED WITH
TOP-QUALITY HYDRAULIC DISTRIBUTORS MADE BY LEADING
COMPANIES IN THE SECTOR.




✓ SIMPLE INSTALLATION AND ADAPTABILITY TO DIFFERENT MANUFACTURER CHASSIS TYPES

OUR HOOKLIFTS ARE SUPPLIED WITH A SPECIFIC INSTALLATION KIT
ACCORDING TO THE TYPE OF CHASSIS AND TRUCK MODEL CHOSEN
BY THE CUSTOMER. THIS ALLOWS THE FITTER TO PERFORM A QUICK
AND SIMPLIFIED INSTALLATION



✓ TILTING FRAME

OUR SPECIAL TILTING FRAME HAS A REINFORCED
STRUCTURE THAT GIVES MORE POWER WHEN
LOADING THE CONTAINERS, SO THE SYSTEM IS
SUBJECTED TO LESS STRAIN FOR LONGER
DURABILITY.



- ACCESSORIES -


1 - 32 TON

OUR RANGE OF HOOKLIFT EQUIPMENT
GUARANTEES RELIABILITY AND SAFETY.

ACCELERATED LOADING AND
UNLOADING



TILTING AID CYLINDER




LOCKS SCREWED



GEOLOCALISATION




DRIVE CONTROL




ELECTRICAL RADIO CONTROL

PNEUMATIC CONTROL



FRONT HYDRAULIC LOCKS




VERTICAL STABILISER ROLLER
T5-TT5-T20



FIXED UNDERRUN BAR



EXTENSIBLE
UNDERRUN BAR




-ISO CONTAINER-

16-26 TON

OUR RANGE OF HOOKLIFT EQUIPMENT
GUARANTEES RELIABILITY AND SAFETY.

**TAM SRL IS SPECIALISED IN THE DESIGN AND CONSTRUCTION
OF ROLL-OFF SYSTEMS FOR ISO CONTAINERS**



JOYSTICK



**BAR FOR TILTING AID
CYLINDER**



TWISTLOCK FOR CONTAINERS

-OUR STRENGTHS-



>>>>>

HIGH MATERIALS QUALITY

STRENX™
PERFORMANCE STEEL



>>>>>

HIGH TILTING ANGLE



>>>>>

SPARE PARTS WITHIN 48 H



>>>>>

AVERAGE PRODUCTION TIME 30 DAYS



>>>>>

LOW LOAD HEIGHT



>>>>>

HOOKLIFT FOR THE TRANSPORT OF ISO CONTAINERS





MOD. T4-2800

MOD. T40-5600



MOD. T20-ISO



+ 30
Years in the market

15.000
Equipments manufactured

500
Products setup

+ 30
Countries where we
are present



TAM was established in 1986 under the visionary leadership of Mr. Enrico Rozzi, who also happens to be the founder of our Holding Company, Rozzi S.p.a. With unwavering dedication and vast expertise, he has transformed the TAM brand into a revered symbol of Italian excellence, acknowledged and admired across the globe.

Over time, TAM has grown to employ over 60 collaborators, while the entire Rozzi group collectively provides employment to over 150 individuals.

Today, the company operates on an area of over 30,000 square meters, including 12,000 square meters of covered space, conveniently located near the A21-Pontevico highway exit. This strategic location grants easy access to major logistics hubs.




IQNET



ISO9001



NATO



DEALER STAMP